

MODEL SHOWN:
SHB1-12 / SHB-112 /
SHDI-PCI026CL-Type V /
PF11



ITEM #: SHD2-PC3018WH
18" Acrylic Sphere Globe with
Cast Aluminum Fitter



ITEM #: SHDI-PCI023CL
23" Polycarbonate Acorn Globe
with Cast Aluminum Fitter



**** NEW ITEM ****

ITEM #: SHDI-PCI026CL-CR-SR-PFIN
26" Polycarbonate Acorn Globe with
Cast Aluminum Fitter; Decorative Crown,
Solid Roof and Finial

1-800-365-0511

www.specialliteproducts.com

1634 Latrobe-Derry Rd.
Loyalhanna, PA 15661

customer_service@specialliteproducts.com
www.specialliteproducts.com

DECORATIVE LIGHTING COMBINATIONS

Whether you are a builder creating a master planned community or an architect developing a new lifestyle center or redeveloping a historic streetscape, Special Lite Products offers the quality and value you've been looking for.

Our outdoor light poles, bases and accessories are rust free and maintenance free aluminum designs. Our decorative outdoor lighting fixtures increase property values and bring a decorative, uniform appearance to both established and new communities.



Some of our most popular combinations are shown below.
Visit our website to see our complete line of commercial lighting products.



MODEL #: MP-412 w/AD / WRB1 / SHD2-PC3018WH



MODEL #: MP-412 w/AD / WRB6 / SHD1-PC1023CL / PFIN



MODEL #: MP-612 w/AD / WRB9 / TSB15 / SHD1-PC1023CL / SR / PFIN




MODEL #: PSM-MP-612 w/AD / WRB11 / SHD1-AC1026CL-TYPE III / PFIN




MODEL #: PSM-MP-612 w/AD / WRB11 / SHD1-PC1026CL-CR-SR-PFIN

3" O/D LIGHT POLE OPTIONS



4" O/D LIGHT POLE OPTIONS



3" O/D Smooth Pole with Access Door .065" Wall Thickness

Model Number	Pole Length
450 w/AD	10 ft.
452 w/AD	12 ft.
454 w/AD	14 ft.
456 w/AD	16 ft.

3" O/D Fluted Pole with Access Door .125" Wall Thickness

Model Number	Pole Length
PP-410 w/AD	10 ft.
PP-412 w/AD	12 ft.
PP-414 w/AD	14 ft.
PP-416 w/AD	16 ft.

3" O/D Ribbed Pole with Access Door .125" Wall Thickness

Model Number	Pole Length
MP-210 w/AD	10 ft.
MP-212 w/AD	12 ft.
MP-214 w/AD	14 ft.
MP-216 w/AD	16 ft.

Surface Mount Base with Access Door and 3" O/D Fluted Pole .125" Wall Thickness

Model Number	Pole Length
SM1-8	8 ft.
SM1-10	10 ft.
SM1-12	12 ft.

3" O/D Smooth Pole with Surface Mount and Access Door .125" Wall Thickness

Model Number	Pole Length
PSM-408 w/AD	8 ft.
PSM-410 w/AD	10 ft.
PSM-412 w/AD	12 ft.

3" O/D Fluted Pole with Surface Mount and Access Door .125" Wall Thickness

Model Number	Pole Length
PSM-PP-408 w/AD	8 ft.
PSM-PP-410 w/AD	10 ft.
PSM-PP-412 w/AD	12 ft.

4" O/D Smooth Pole with Access Door .125" Wall Thickness

Model Number	Pole Length
608 w/AD	8 ft.
610 w/AD	10 ft.
612 w/AD	12 ft.
614 w/AD	14 ft.
616 w/AD	16 ft.

4" O/D Fluted Pole with Access Door .125" Wall Thickness

Model Number	Pole Length
MP-028 w/AD	8 ft.
MP-030 w/AD	10 ft.
MP-032 w/AD	12 ft.
MP-034 w/AD	14 ft.
MP-036 w/AD	16 ft.

4" O/D Smooth Pole with Surface Mount with Access Door & 3" Terrain .125" Wall Thickness

Model Number	Pole Length
PSM-608 w/AD	8 ft.
PSM-610 w/AD	10 ft.
PSM-612 w/AD	12 ft.
PSM-614 w/AD	14 ft.

4" O/D Fluted Pole with Surface Mount with Access Door & 3" Terrain .125" Wall Thickness

Model Number	Pole Length
PSM-PP-608 w/AD	8 ft.
PSM-PP-610 w/AD	10 ft.
PSM-PP-612 w/AD	12 ft.
PSM-PP-614 w/AD	14 ft.

REPLACEMENT GLOBES



PC-1016CL
18 3/4" W x 16 3/4" H
8" Neck Opening

PC-1023CL
14 1/2" W x 21 1/4" H
8" Neck Opening

PC-1026CL
16 5/8" W x 27" H
8" Neck Opening

PC-2020CL
15 1/2" W x 18" H
8" Neck Opening


**AC-1026CL-
Type III**
15 3/4" W x 27" H
8" Neck Opening

**AC-1026CL-
Type V**
15 3/4" W x 27" H
8" Neck Opening

PC-3016WH
16" W
8" Neck Opening

PC-3018WH
18" W
8" Neck Opening

LAMP ARMS



W7317 Wall Mount Lighting Arm

P7327 Post Mount Double Lighting Arm

W8317 Wall Mount Lighting Arm Curved Down

W8311 Wall Mount Lighting Arm Curved Up

P8327 Post Mount Double Lighting Arm

P8321 Post Mount Double Lighting Arm

P8341 Post Mount Quad Lighting Arm

HOUSE SHIELDS / DARK SKY REFLECTOR

House side shields are available to cutoff all direct light through certain horizontal angles. Dark sky reflectors minimize the amount of up light.

HSS-90 (90 Degree Cutoff House Shield)

4 5/8" W x 7 15/16" H

HSS-180 (180 Degree Cutoff House Shield)


6 7/8" W x 8 1/2" H

DSR-360-MED (Dark Sky Reflector)

Fits Medium Base Sockets

DSR-360-MOG (Dark Sky Reflector)

Fits Mogul Base Sockets



HSS-90

HSS-180

**DSR-360-MED
DSR-360-MOG**

ADDITIONAL ACCESSORIES



SR SOLID ROOF
Available for
PC-1023CL & PC-1016CL
Must be purchased with PR10

PFIN FINIAL FOR
ACORN GLOBE
Available in
Black only

CO-268 POLE ELECTRICAL
OUTLET
Curved to fit 2" O/D pole.
1 1/4" hole required.
120 Volts Only

CR CROWN
Available for
PC-1026CL

CR2 CROWN
Available for
AC-1026CL Type III &
Type V Globes

Dusk to Dawn
Photo Electric Control
base # PC-8019
120 Volts/180 Watt Max
base # PC-8015
180-277 Volt, 1300 Watt Max

BASES



WRB1 WRAP AROUND BASE
FOR 3" O/D POLES
26" H, 8" DIA.

WRB5 WRAP AROUND BASE
FOR 3" O/D POLES
34" H, 8" DIA.

WRB6 & WRB9 WRAP AROUND BASES
WRB6 - FOR 3" O/D POLES
WRB9 - FOR 4" O/D POLES
32" H, 11 3/4" DIA.

WRB8 WRAP AROUND BASE
FOR 3" O/D POLES
18 3/4" H, 9 1/4" DIA.

WRB11 WRAP AROUND BASE
FOR 4" O/D POLES
16" H, 13" DIA.

SMB1-PM SURFACE MOUNT BASE
FOR 3" O/D FLUTED POLES
32" H, 11 3/4" DIA.

See our Site Amenities Catalog or visit our website to view our full line of commercial lighting products.